

KRĒTUS



PRODUCT CATALOG

Kretus

THOUGHTFULLY DESIGNED COATINGS



Our team of experts works closely with you to **make every installation a success.**

Receive On-the-Job Assistance

Watch and Attend Technical Training Videos and Classes

Customize with Unique Colors and Formulations

INNOVATIVE

Ever Developing New Technologies

ADAPTABLE

Mix-and-Match Modular Coatings

FAST

Quick Turnaround without Compromising Quality

FIND US *online!*



If you're into games, memes, and jobsite pics: Find us on Instagram, Facebook, & LinkedIn.



For installation tips, tricks, and more: Subscribe to our newsletter & YouTube channel.

INDEX

Click the product name or page number to jump to that page.

- Modular Coatings
 - Top Shelf® Epoxy.....4
 - Urethane Polymer Concrete.....7
 - Polyaspartic.....10
 - Polyurethane.....12
 - Acrylics.....14
- ESD (Static Control)
 - Traditional ESD.....16
 - Nanotube ESD.....17
- WB Epoxy.....18
- Metallic.....19
- Aliphatic MC.....20
- Hydrothane.....20
- EcoMagnetic™.....20
- Matting Additive.....21
- Cleaning Products.....21
- Anti-Graffiti.....21
- Anti-Slip.....22
- Colorants.....23
- Hard Samples.....24
- Select Kits.....26




kretus.com/
home

Scan QR codes to learn more about
the featured product or system.



Satisfy USDA, FDA, EPA, and SCAQMD VOC Requirements
Meet LEED Indoor Air Quality Standards
Increase Protection and Longevity With Premium Options



TOP SHELF® EPOXY (TSE)

adaptable • 100%-solids • two-component • applicator skill level 1-5

Mix and match components to meet your installation needs.



kretus.com/
top-shelf-epoxy

Before selecting, consider temperature, humidity, schedule, applicator's skill level, and substrate.



CHOOSE PART A

A-RESIN premium all purpose
CAST-RESIN countertops, resin art
COMMERCIAL-RESIN primer and base
COVE-RESIN wall cove, crack filler
CR-RESIN high chemical resistance
FLEX-RESIN plywood substrates
T-RESIN terrazzo

CHOOSE PART B

EZ long working time, high application temps
AP all purpose
TH low moisture tolerant base coat
FC fast cure, low application temps
MVR-EZ moisture vapor reduction, slow cure
MVR-FC moisture vapor reduction, fast cure

Apply it **CLEAR**,
PIGMENTED, or
 add **TSE COLORANT**:



KITS: SAMPLE (24 OZ) • STANDARD (1.5 GAL) • DOUBLE (3 GAL) • T-RESIN (6 GAL)
BULK ITEMS: BUCKET (5 GAL) • DRUM (50 GAL) • TOTE (275 GAL)



PART B, HARDENERS
SEE PART A FOR MIX RATIO

	8 OZ	½ GALLON	1 GALLON	5 GALLON	50 GALLON	275 GALLON
AP	FG-TSEBAP-08FOZ	FG-TSEBAP-HG	FG-TSEBAP-01G	FG-TSEBAP-05G	FG-TSEBAP-50G	FG-TSEBAP-275G
EZ	FG-TSEBEZ-08FOZ	FG-TSEBEZ-HG	FG-TSEBEZ-01G	FG-TSEBEZ-05G	FG-TSEBEZ-50G	FG-TSEBEZ-275G
TH	FG-TSEBTH-08FOZ	FG-TSEBTH-HG	FG-TSEBTH-01G	FG-TSEBTH-05G	FG-TSEBTH-50G	FG-TSEBTH-275G
FAST	FG-TSEBFA-08FOZ	FG-TSEBFA-HG	FG-TSEBFA-01G	FG-TSEBFA-05G	FG-TSEBFA-50G	FG-TSEBFA-275G
MVR-EZ	FG-TSEBMEZ-08FOZ	FG-TSEBMEZ-HG	FG-TSEBMEZ-01G	FG-TSEBMEZ-05G	FG-TSEBMEZ-50G	FG-TSEBMEZ-275G
MVR-FC	FG-TSEBMFC-08FOZ	FG-TSEBMFC-HG	FG-TSEBMFC-01G	FG-TSEBMFC-05G	FG-TSEBMFC-50G	FG-TSEBMFC-275G

PART A, A-RESIN
MIX RATIO = 2A:1B (Example: 1 gal A:1/2 gal B)

	16 OZ	1 GALLON	2 GALLON	5 GALLON	50 GALLON	275 GALLON
Beige	FG-TSEABEI-16FOZ	FG-TSEABEI-01G	FG-TSEABEI-02G	FG-TSEABEI-05G	FG-TSEABEI-50G	-
Black	FG-TSEABLK-16FOZ	FG-TSEABLK-01G	FG-TSEABLK-02G	FG-TSEABLK-05G	FG-TSEABLK-50G	-
Clear	FG-TSEACLR-16FOZ	FG-TSEACLR-01G	FG-TSEACLR-02G	FG-TSEACLR-05G	FG-TSEACLR-50G	FG-TSEACLR-275G
Dark Gray	FG-TSEADGY-16FOZ	FG-TSEADGY-01G	FG-TSEADGY-02G	FG-TSEADGY-05G	FG-TSEADGY-50G	-
Enchanted Green	FG-TSEAEKN-16FOZ	FG-TSEAEKN-01G	FG-TSEAEKN-02G	FG-TSEAEKN-05G	FG-TSEAEKN-50G	-
Handicap Blue	FG-TSEAHBL-16FOZ	FG-TSEAHBL-01G	FG-TSEAHBL-02G	FG-TSEAHBL-05G	FG-TSEAHBL-50G	-
Latte	FG-TSEALAT-16FOZ	FG-TSEALAT-01G	FG-TSEALAT-02G	FG-TSEALAT-05G	FG-TSEALAT-50G	-
Light Gray	FG-TSEALGY-16FOZ	FG-TSEALGY-01G	FG-TSEALGY-02G	FG-TSEALGY-05G	FG-TSEALGY-50G	-
Medium Gray	FG-TSEAMGY-16FOZ	FG-TSEAMGY-01G	FG-TSEAMGY-02G	FG-TSEAMGY-05G	FG-TSEAMGY-50G	-
Mocha	FG-TSEAMOC-16FOZ	FG-TSEAMOC-01G	FG-TSEAMOC-02G	FG-TSEAMOC-05G	FG-TSEAMOC-50G	-
Safety Blue	FG-TSEASAB-16FOZ	FG-TSEASAB-01G	FG-TSEASAB-02G	FG-TSEASAB-05G	FG-TSEASAB-50G	-
Safety Red	FG-TSEASAR-16FOZ	FG-TSEASAR-01G	FG-TSEASAR-02G	FG-TSEASAR-05G	FG-TSEASAR-50G	-
Safety Yellow	FG-TSEASAY-16FOZ	FG-TSEASAY-01G	FG-TSEASAY-02G	FG-TSEASAY-05G	FG-TSEASAY-50G	-
Shadow Gray	FG-TSEASHG-16FOZ	FG-TSEASHG-01G	FG-TSEASHG-02G	FG-TSEASHG-05G	FG-TSEASHG-50G	-
Tan	FG-TSEATAN-16FOZ	FG-TSEATAN-01G	FG-TSEATAN-02G	FG-TSEATAN-05G	FG-TSEATAN-50G	-
Tile Red	FG-TSEATRD-16FOZ	FG-TSEATRD-01G	FG-TSEATRD-02G	FG-TSEATRD-05G	FG-TSEATRD-50G	-
White	FG-TSEAWHT-16FOZ	FG-TSEAWHT-01G	FG-TSEAWHT-02G	FG-TSEAWHT-05G	FG-TSEAWHT-50G	-

PART A, SPECIALTY RESINS**MIX RATIO = 2A:1B (Example: 1 gal A:1/2 gal B)**

	16 OZ	1 GALLON	2 GALLON	5 GALLON	50 GALLON	275 GALLON
Cast Resin - Clear	FG-TSECRCLR-16FOZ	FG-TSECRCLR-01G	FG-TSECRCLR-02G	FG-TSECRCLR-05G	-	-
Commercial Resin - Beige	-	FG-TSECMRBEI-01G	FG-TSECMRBEI-02G	FG-TSECMRBEI-05G	-	-
Commercial Resin - Clear	-	FG-TSECMRCLR-01G	FG-TSECMRCLR-02G	FG-TSECMRCLR-05G	FG-TSECMRCLR-50G	FG-TSECMRCLR-275G
Commercial Resin - Latte	-	FG-TSECMRLAT-01G	FG-TSECMRLAT-02G	FG-TSECMRLAT-05G	-	-
Commercial Resin - Light Gray	-	FG-TSECMRLGY-01G	FG-TSECMRLGY-02G	FG-TSECMRLGY-05G	-	-
Commercial Resin - Medium Gray	-	FG-TSECMRMGY-01G	FG-TSECMRMGY-02G	FG-TSECMRMGY-05G	-	-
Cove Resin - Clear	-	FG-TSECVRCLR-01G	FG-TSECVRCLR-02G	FG-TSECVRCLR-05G	-	-
CR Resin - Clear	-	FG-TSECRRCLR-01G	FG-TSECRRCLR-02G	FG-TSECRRCLR-05G	-	-
Flex Resin - Clear	-	FG-TSEFACLR-01	-	FG-TSEFACLR-05	-	-

PART A, SPECIALTY RESINS**MIX RATIO = 5A:1B (Example: 5 gal A:1 gal B)**

	1 GALLON	5 GALLON
T-Resin - Clear	FG-TSETCLR-01G	FG-TSETCLR-05G

PART C, AGGREGATE**MIX RATIO = 25 lbs per 1.5-gal kit**

	25 lbs
SG Part C - Slurry Grade	FG-TSEPASG-25LB

ACCELERANT**MIX RATIO = 8-16 oz per 1.5-gal kit**

	8 OZ	1 GALLON
Epoxy Accelerant	FG-TSEACCLR-08FOZ	FG-TSEACCLR-01G

EPOXY PATCH**MIX RATIO = 1A:1B (Example: 1 gal A:1 gal B)**

PART A	1 GALLON
Top Shelf® Epoxy Patch	FG-EZPCLRA-01G
PART B	1 GALLON
Top Shelf® Epoxy Patch - EZ	FG-EZPCLRB-01G
Top Shelf® Epoxy Patch - FC	FG-EZPCLRBFC-01G

COLORANT**MIX RATIO = 16 oz per 1.5 gal kit (light colors marked with*)****16 oz per 3 gal kit (dark colors)**

	16 OZ	1 GALLON
Beige*	FG-TSECLBEI-16FOZ	FG-TSECLBEI-01G
Black	FG-TSECLBLK-16FOZ	FG-TSECLBLK-01G
Dark Gray	FG-TSECLDGY-16FOZ	FG-TSECLDGY-01G
Enchanted Green	FG-TSECLEGN-16FOZ	FG-TSECLEGN-01G
Handicap Blue	FG-TSECLHAB-16FOZ	FG-TSECLHAB-01G
Latte*	FG-TSECLLAT-16FOZ	FG-TSECLLAT-01G
Light Gray	FG-TSECLLGY-16FOZ	FG-TSECLLGY-01G
Medium Gray	FG-TSECLMGY-16FOZ	FG-TSECLMGY-01G
Mocha	FG-TSECLMOC-16FOZ	FG-TSECLMOC-01G
Safety Blue	FG-TSECLSAB-16FOZ	FG-TSECLSAB-01G
Safety Red*	FG-TSECLSAR-16FOZ	FG-TSECLSAR-01G
Safety Yellow*	FG-TSECLSAY-16FOZ	FG-TSECLSAY-01G
Shadow Gray*	FG-TSECLSHG-16FOZ	FG-TSECLSHG-01G
Tan	FG-TSECLTAN-16FOZ	FG-TSECLTAN-01G
Tile Red	FG-TSECLTRD-16FOZ	FG-TSECLTRD-01G
White*	FG-TSECLWHT-16FOZ	FG-TSECLWHT-01G

URETHANE POLYMER CONCRETE (UPC)

adaptable • 100%-solids • three-and four-component • applicator skill level 3-5

Mix and match components to meet your installation needs.



Before selecting, consider temperature, humidity, schedule, applicator's skill level, and substrate.

CHOOSE A COATING (PART C)

RC roll coat, 5–30 mils
SL self-leveler, 1/8–1/4"
MF heavy-duty self-leveler, 1/8–1/4"
TT tight trowel, 1/4–4"
WC wall cove, 1-10"
VC vertical coat, 3–8 mils

MATCH THE LETTERS & CHOOSE PART B

RC/TT, SL/MF, OR WC/VC
EZ high application temps
AP all purpose
FC low application temps

Apply it **UNPIGMENTED** or add **UPC COLORANT**:



MATCH THE
LETTERS FOR PART A

RC/TT | SL/MF | WC/VC

KITS: SINGLE/STANDARD • DOUBLE
BULK ITEMS: DRUM • TOTE



RC (ROLL COAT)

PART A	SINGLE KIT 6 lbs A:6 lbs B:6 lbs C	DOUBLE KIT 12 lbs A:12 lbs B:12 lbs C
RC/TT	FG-UPCARCTT-06LB	FG-UPCARCTT-12LB
PART B		
RC/TT EZ	FG-UPCBRTEZ-06LB	FG-UPCBRTEZ-12LB
RC/TT AP	FG-UPCBRTAP-06LB	FG-UPCBRTAP-12LB
RC/TT FC	FG-UPCBRTFC-06LB	FG-UPCBRTFC-12LB
PART C		
RC	FG-UPCCRC-06LB	FG-UPCCRC-12LB

SL (SELF-LEVELER)

PART A	SINGLE KIT 8 lbs A:8 lbs B:25 lbs C	DOUBLE KIT 16 lbs A:16 lbs B:50 lbs C
SL/MF	FG-UPCASLMF-08LB	FG-UPCASLMF-16LB
PART B		
SL/MF EZ	FG-UPCBSMEZ-08LB	FG-UPCBSMEZ-16LB
SL/MF AP	FG-UPCBSMAP-08LB	FG-UPCBSMAP-16LB
SL/MF FC	FG-UPCBSMFC-08LB	FG-UPCBSMFC-16LB
PART C		
SL	FG-UPCCSL-25LB	FG-UPCCSL-25LB*

WC (WALL COVE)

PART A	SINGLE KIT 3 lbs A:3 lbs B:30 lbs C
WC/VC	FG-UPCAWCVC-03LB
PART B	
WC/VC EZ	FG-UPCBWVEZ-03LB
WC/VC FC	FG-UPCBWVFC-03LB
PART C	
WC	FG-UPCCWC-30LB

TT (TIGHT TROWEL)

PART A	SINGLE KIT 6 lbs A:6 lbs B:42 lbs C	DOUBLE KIT 12 lbs A:12 lbs B:84 lbs C
RC/TT	FG-UPCARCTT-06LB	FG-UPCARCTT-12LB
PART B		
RC/TT EZ	FG-UPCBRTEZ-06LB	FG-UPCBRTEZ-12LB
RC/TT AP	FG-UPCBRTAP-06LB	FG-UPCBRTAP-12LB
RC/TT FC	FG-UPCBRTFC-06LB	FG-UPCBRTFC-12LB
PART C		
TT	FG-UPCCTT-42LB	FG-UPCCTT-42LB*

MF (HEAVY-DUTY SELF-LEVELER)

PART A	SINGLE KIT 8 lbs A:8 lbs B:40 lbs C	DOUBLE KIT 16 lbs A:16 lbs B:80 lbs C
SL/MF	FG-UPCASLMF-08LB	FG-UPCASLMF-16LB
PART B		
SL/MF EZ	FG-UPCBSMEZ-08LB	FG-UPCBSMEZ-16LB
SL/MF AP	FG-UPCBSMAP-08LB	FG-UPCBSMAP-16LB
SL/MF FC	FG-UPCBSMFC-08LB	FG-UPCBSMFC-16LB
PART C		
MF	FG-UPCCMF-40LB	FG-UPCCMF-40LB*

VC (VERTICAL COAT)

PART A	SINGLE KIT 3 lbs A:3 lbs B:3.5 lbs C
WC/VC	FG-UPCAWCVC-03LB
PART B	
WC/VC EZ	FG-UPCBWVEZ-03LB
WC/VC FC	FG-UPCBWVFC-03LB
PART C	
VC	FG-UPCCVC-EA

* Will need 2 bags of Part C for double kits

UV (UV-RESISTANT ROLL COAT)

PART A	SINGLE KIT 6 lbs A:6 lbs B:6 lbs C:D *	DOUBLE KIT 12 lbs A:12 lbs B:12 lbs C:D *
RC/TT	FG-UPCARCTT-06LB	FG-UPCARCTT-12LB
PART B		
RC/TT UV	FG-UPCBRUAP-06LB	FG-UPCBRUAP-12LB
PART C		
RC	FG-UPCCRC-06LB	FG-UPCCRC-12LB
PART D *		
Poly Accelerant	2-6 oz	4-12 oz

POLY ACCELERANT**MIX RATIO = 2-6 oz per single kit**

	6 OZ	32 OZ	1 GALLON
Poly Accelerant	FG-PACCLR-06FOZ	FG-PACCLR-32FOZ	FG-PACCLR-01

COLORANT**MIX RATIO = 4 oz per single kit**

	4 OZ	1 GALLON
Black	FG-UPCCLBLK-04FOZ	FG-UPCCLBLK-01G
Blue	FG-UPCCLBLU-04FOZ	FG-UPCCLBLU-01G
Bone	FG-UPCCLBON-04FOZ	FG-UPCCLBON-01G
Brown	FG-UPCCLBRN-04FOZ	FG-UPCCLBRN-01G
Clay	FG-UPCCLCLY-04FOZ	FG-UPCCLCLY-01G
Gray	FG-UPCCLGRY-04FOZ	FG-UPCCLGRY-01G
Green	FG-UPCCLGRN-04FOZ	FG-UPCCLGRN-01G
Mustard	FG-UPCCLMUS-04FOZ	FG-UPCCLMUS-01G
Red	FG-UPCCLRED-04FOZ	FG-UPCCLRED-01G

PALLET - UPC RC

UPC RC	20KITS/1 PALLET
EZ - 20 double kits	KIT-3RCEZ20
AP - 20 double kits	KIT-3RCAP20
FC - 20 double kits	KIT-3RCFC20
UV - 20 double kits	KIT-3RCUV20**

PALLET - UPC SL

UPC SL	30 KITS/2 PALLETS
EZ - 30 double kits	KIT-3SLEZ30
AP - 30 double kits	KIT-3SLAP30
FC - 30 double kits	KIT-3SLFC-30

BULK ORDERS

PART A	DRUM 441 lbs	TOTE 2205 lbs
Part A	FG-UPCA-448LB	FG-UPCA-2240LB
PART B	DRUM 496 lbs	TOTE 2300 lbs
EZ	FG-UPCBEZ-448LB	FG-UPCBEZ-2240LB
AP	FG-UPCBAP-448LB	FG-UPCBAP-2240LB
FC	FG-UPCBFC-448LB	FG-UPCBFC-2240LB

* See Poly Accelerant Mix Ratio ** Part D Poly Accelerant sold separately

POLYASPARTIC (PA)

adaptable • high-solids • two-component • applicator skill level 3-5

Mix and match components to meet your installation needs.



kretus.com/
polyaspartic

Before selecting, consider temperature, humidity, schedule, applicator's skill level, and substrate.

CHOOSE PART B


72% solids, concrete primer, 8-14 mils
85% solids, all purpose, 8-14 mils
92 LOW ODOR 100% solids, cold storage to
 -20°F, concrete repair, all purpose, 8-14 mils

MATCH THE NUMBER & CHOOSE PART A

72, 85, OR 92 LOW ODOR

EZ high application temps
FC low to mid application temps & low RH
XFC low to freezing application temps & low RH

Apply it **CLEAR** or
 add **POLY COLORANT**:



KITS: SAMPLE (16 OZ) • STANDARD (2 GAL)
BULK ITEMS: BUCKET (5 GAL) • DRUM (50 GAL)

PART A**SEE PART B FOR MIX RATIO**

72	8 OZ	1 GALLON	5 GALLON	50 GALLON
EZ	FG-PA72AEZ-08FOZ	FG-PA72AEZ-01G	FG-PA72AEZ-05G	FG-PA72AEZ-50G
FC	FG-PA72AFC-08FOZ	FG-PA72AFC-01G	FG-PA72AFC-05G	FG-PA72AFC-50G
85	8 OZ	1 GALLON	5 GALLON	50 GALLON
EZ	FG-PA85AEZ-08FOZ	FG-PA85AEZ-01G	FG-PA85AEZ-05G	FG-PA85AEZ-50G
FC	FG-PA85AFC-08FOZ	FG-PA85AFC-01G	FG-PA85AFC-05G	FG-PA85AFC-50G
XFC	-	FG-PA85AXFC-01G	FG-PA85AXFC-05G	FG-PA85AXFC-50G
92	8 OZ	1 GALLON	5 GALLON	50 GALLON
EZ	FG-PA92AEZ-08FOZ	FG-PA92AEZ-01G	FG-PA92AEZ-05G	FG-PA92AEZ-50G
FC	FG-PA92AFC-08FOZ	FG-PA92AFC-01G	FG-PA92AFC-05G	FG-PA92AFC-50G
XFC	-	FG-PA92AXFC-01G	FG-PA92AXFC-05G	FG-PA92AXFC-50G

PART B**MIX RATIO = 1A:1B (Example: 1 gal A:1 gal B)**

	8 OZ	1 GALLON	5 GALLON	50 GALLON
72	FG-PA72B-08FOZ	FG-PA72B-01G	FG-PA72B-05G	FG-PA72B-50G
85	FG-PA85B-08FOZ	FG-PA85B-01G	FG-P85B-05G	FG-PA85B-50G
92	FG-PA92B-08FOZ	FG-PA92B-01G	FG-PA92B-05G	FG-PA92B-50G

PART C, AGGREGATE**MIX RATIO = 25 lbs per 2-gal kit**

	25 lbs
SG Part C - Slurry Grade	FG-TSEPASG-25LB

ACCELERANT**MIX RATIO = 4-6 oz per 2-gal kit**

	6 OZ	32 OZ	1 GALLON
Poly Accelerant	FG-PACCLR-06FOZ	FG-PACCLR-32FOZ	FG-PACCLR-01

POLY COLORANT**MIX RATIO = 16 oz per 2 gal kit**

	16 OZ	1 GALLON
Beige	FG-PCLBEI-16FOZ	FG-PCLBEI-01G
Black	FG-PCLBLK-16FOZ	FG-PCLBLK-01G
Dark Gray	FG-PCLDGY-16FOZ	FG-PCLDGY-01G
Enchanted Green	FG-PCLEGR-16FOZ	FG-PCLEGR-01G
Handicap Blue	FG-PCLHBL-16FOZ	FG-PCLHBL-01G
Latte	FG-PCLLAT-16FOZ	FG-PCLLAT-01G
Light Gray	FG-PCLLGY-16FOZ	FG-PCLLGY-01G
Medium Gray	FG-PCLMGY-16FOZ	FG-PCLMGY-01G
Mocha	FG-PCLMOC-16FOZ	FG-PCLMOC-01G
Safety Blue	FG-PCLSAB-16FOZ	FG-PCLSAB-01G
Safety Red	FG-PCLSAR-16FOZ	FG-PCLSAR-01G
Safety Yellow	FG-PCLSAY-16FOZ	FG-PCLSAY-01G
Shadow Gray	FG-PCLSHG-16FOZ	FG-PCLSHG-01G
Tan	FG-PCLTAN-16FOZ	FG-PCLTAN-01G
Tile Red	FG-PCLTRD-16FOZ	FG-PCLTRD-01G
White	FG-PCLWHT-16FOZ	FG-PCLWHT-01G

POLY PATCH**MIX RATIO = 1A:1B (Example: 1 gal A:1 gal B)**

PART A	1 GALLON	5 GALLON
Poly Patch	FG-PJFACL-01G	FG-PJFACL-05G
PART B	1 GALLON	5 GALLON
Poly Patch	FG-PJFB-01G	FG-PJFB-05G
Poly Patch - EZ	FG-PJFBEZ-01G	FG-PJFBEZ-05G

POLYURETHANE (PU)

adaptable • high-solids • two-component • applicator skill level 3-5

Mix and match components to meet your installation needs.

Before selecting, consider temperature, humidity, schedule, applicator's skill level, and substrate.



kretus.com/
polyurethane

CHOOSE THE COATING (HP or HS)



HP PART B

advanced to expert applicators,
high-chemically resistant top coat, 3-5 mils

CHOOSE THE FINISH (PART A)

HP SATIN mid-application temps & RH
HP GLOSS average application temps & higher RH



HS PART B

high-shine base,
cap & top coats, 8-20 mils

CHOOSE THE SPEED (PART A)

HS EZ easy-to-apply, slow cure, high application temps & RH
HS FC expert applicators, fast cure, low application temps & RH

Apply it CLEAR or add POLY COLORANT:



HP GLOSS KITS: SAMPLE (20 OZ) • STANDARD (1.25 GAL)

HP SATIN & HS KITS: SAMPLE (24 OZ) • STANDARD (1.5 GAL)

BULK ITEMS: BUCKET (5 GAL) • DRUM (50 GAL)

PART B, PUHP (POLYURETHANE HP, HIGH-PERFORMANCE)

SEE PART A FOR MIX RATIOS

	16 OZ	1 GALLON	5 GALLON
Part B	FG-PUHPB-16FOZ	FG-PUHPB-01G	FG-PUHPB-05G

PART A, PUHP (POLYURETHANE HP, HIGH-PERFORMANCE)

MIX RATIO = 1A:4B (Example: 1 qt A:1 gal B)

	8 OZ	32 OZ	5 GALLON
Gloss	FG-PUHPACGL-08FOZ	FG-PUHPACGL-32FOZ	FG-PUHPACGL-05G

PART A, PUHP (POLYURETHANE HP, HIGH-PERFORMANCE)

MIX RATIO = 1A:2B (Example: 1/2 gal A:1 gal B)

	8 OZ	½ GALLON	5 GALLON
Satin	FG-PUHPACSA-08FOZ	FG-PUHPACSA-HG	FG-PUHPACSA-05G

PART A, PUHS (POLYURETHANE HS, HIGH-SHINE)

SEE PART B FOR MIX RATIO

	16 OZ	1 GALLON	5 GALLON	50 GALLON
EZ	FG-PUHSAEZ-16FOZ	FG-PUHSAEZ-01G	FG-PUHSAEZ-05G	FG-PUHSAEZ-50G
FC	FG-PUHSAFC-16FOZ	FG-PUHSAFC-01G	FG-PUHSAFC-05G	FG-PUHSAFC-50G

PART B, PUHS (POLYURETHANE HS, HIGH-SHINE)

MIX RATIO = 2A:1B (Example: 1 gal A:1/2 gal B)

	8 OZ	½ GALLON	5 GALLON	50 GALLON
Part B	FG-PUHSB-08FOZ	FG-PUHSB-HG	FG-PUHSB-05G	FG-PUHSB-50G

POLY COLORANT

MIX RATIO = PUHP Gloss, 16 oz per 1.25 gal kit

PUHP Satin and PUHS, 16 oz per 1.5 gal kit

	16 OZ	1 GALLON
Beige	FG-PCLBEI-16FOZ	FG-PCLBEI-01G
Black	FG-PCLBLK-16FOZ	FG-PCLBLK-01G
Dark Gray	FG-PCLDGY-16FOZ	FG-PCLDGY-01G
Enchanted Green	FG-PCLEGR-16FOZ	FG-PCLEGR-01G
Handicap Blue	FG-PCLHBL-16FOZ	FG-PCLHBL-01G
Latte	FG-PCLLAT-16FOZ	FG-PCLLAT-01G
Light Gray	FG-PCLLGY-16FOZ	FG-PCLLGY-01G
Medium Gray	FG-PCLMGY-16FOZ	FG-PCLMGY-01G
Mocha	FG-PCLMOC-16FOZ	FG-PCLMOC-01G
Safety Blue	FG-PCLSAB-16FOZ	FG-PCLSAB-01G
Safety Red	FG-PCLSAR-16FOZ	FG-PCLSAR-01G
Safety Yellow	FG-PCLSAY-16FOZ	FG-PCLSAY-01G
Shadow Gray	FG-PCLSHG-16FOZ	FG-PCLSHG-01G
Tan	FG-PCLTAN-16FOZ	FG-PCLTAN-01G
Tile Red	FG-PCLTRD-16FOZ	FG-PCLTRD-01G
White	FG-PCLWHT-16FOZ	FG-PCLWHT-01G

POLY PATCH

MIX RATIO = 1A:1B

PART A	1 GALLON	5 GALLON
Poly Patch	FG-PJFACLR-01G	FG-PJFACLR-05G
PART B	1 GALLON	5 GALLON
Poly Patch	FG-PJFB-01G	FG-PJFB-05G
Poly Patch - EZ	FG-PJFBEZ-01G	FG-PJFBEZ-05G

ACRYLICS

UV-resistant • cost-effective • waterproof decking • applicator skill level 1-5

KRETUS® APC (ACRYLIC POLYMER CONCRETE) is a two-component, durable, waterproofing concrete for patching, sloping, resurfacing, and overlays. Use Basecoat for patching, sloping, and screed coats. Use Textures 2.0-3.0 for decorative overlays.

PART A

MIX RATIO = 1 gal A:50 lbs B

	1 GALLON	5 GALLON	50 GALLON	275 GALLON
Admix	FG-AADMX-01G	FG-AADMX-05G	FG-AADMX-50G	FG-AADMX-275G
Admix Concentrate	-	FG-AADMXC-05G	FG-AADMXC-50G	FG-AADMXC-275G

KITS: STANDARD (1 GAL A, 50 LBS B)

BULK ITEMS: BUCKET (5 GAL) • DRUM (50 GAL) • TOTE (275 GAL)



KRETUS® BONDER RESIN excels as a high-viscosity acrylic blend for priming concrete before installing APC. It can also be used with Fiberglass over plywood for waterproof decking.

ACRYLIC PRIMER

MIX RATIO = 1 gal:1 qt water or undiluted

	1 GALLON	5 GALLON	50 GALLON	275 GALLON
Bonder Resin	FG-APBR-01G	FG-APBR-05G	FG-APBR-50G	FG-APBR-275G

SIZES: STANDARD (1 GAL) • BUCKET (5 GAL) • DRUM (50 GAL) • TOTE (275 GAL)



PART B

SEE PART A FOR MIX RATIO

	50 LBS
Basecoat - Gray	FG-APCBCGRY-50LB
Texture 2.0 - Gray	FG-APCTX2GRY-50LB
Texture 2.0 - White	FG-APCTX2WHT-50LB
Texture 3.0 - Gray	FG-APCTX3GRY-50LB
Texture 3.0 - White	FG-APCTX3WHT-50LB

APC FAST/SLOW CONTROL

MIX RATIO = 1 oz per standard kit

	32 OZ
Fast Control	FG-APCFST-32SOZ
Slow Control	FG-APCSLOW-32SOZ

KRETUS® ACRYLIC SEALERS are UV-resistant co-polymer blends that provide durable gloss and low gloss finishes for concrete, wood, and masonry. Choose WB (water-based) for a long wet-edge or SB (solvent-based) for fast drying and quick recoat.

When pigmenting Acrylic Sealer, choose Accent for light color values, Medium for medium color, and Deep for dark.

PIGMENTED ACRYLIC SEALERS
SEE WB COLORANT FOR MIX RATIO

	5 GALLON
WB Base - Accent	FG-ASWBABA-05G
WB Base - Medium	FG-ASWB MBA-05G
WB Base - Deep	FG-ASWB DBA-05G

WB COLORANT
MIX RATIO = 16 oz per 5 gal

TRENDING COLORS	16 OZ
Adobe	FG-WBCLADB-16FOZ
Arizona Tan	FG-WBCLAZT-16FOZ
Charcoal	FG-WBCLCHA-16FOZ
Executive Gray	FG-WBCLEXE-16FOZ
Mud Pie	FG-WBCLMUD-16FOZ
Sahara	FG-WBCLSAH-16FOZ
Sand	FG-WBCLSAN-16FOZ
Storm	FG-WBCLSTO-16FOZ
White	FG-WBCLWHT-16FOZ

ADDITIONAL COLORS	16 OZ
Beachwood	FG-WBCLBEA-16FOZ
Cherrywood	FG-WBCLCHE-16FOZ
Clay	FG-WBCLCLA-16FOZ
Coral	FG-WBCLCOR-16FOZ
Driftwood	FG-WBCLDRI-16FOZ
Lagoon	FG-WBCLLAG-16FOZ
Maple	FG-WBCLMAP-16FOZ
Moss	FG-WBCLMOS-16FOZ
Sea Blue	FG-WBCLSBL-16FOZ
Soldier	FG-WBCLSOL-16FOZ
Sphynx	FG-WBCLSPX-16FOZ
Steel	FG-WBCLSTE-16FOZ

CLEAR ACRYLIC SEALERS
SINGLE-COMPONENT PRODUCT

	8 OZ	1 GALLON	5 GALLON	50 GALLON	275 GALLON
SB Gloss	FG-ASSBG-08FOZ	FG-ASSBG-01G	FG-ASSBG-05G	FG-ASSBG-50G	-
SB Low Gloss	FG-ASSBLG-08FOZ	FG-ASSBLG-01G	FG-ASSBLG-05G	FG-ASSBLG-50G	-
WB Gloss	FG-ASWBGCLR-08FOZ	FG-ASWBGCLR-01G	FG-ASWBGCLR-05G	FG-ASWBGCLR-50G	FG-ASWBGCLR-275G
WB Low Gloss	FG-ASWBLGCLR-08FOZ	FG-ASWBLGCLR-01G	FG-ASWBLGCLR-05G	FG-ASWBLGCLR-50G	FG-ASWBLGCLR-275G



PIGMENTED SIZE: STANDARD (5 GAL, 16 OZ)

CLEAR SIZES: SAMPLE (8 OZ) • STANDARD (1 GAL) • BUCKET (5 GAL) • DRUM (50 GAL) • TOTE (275 GAL)

TRADITIONAL ESD

Shield employees, equipment, and processes against harmful ESD (electrostatic discharge) with this traditional ESD System featuring **KRETUS® WB CONDUCTIVE PRIMER** and **KRETUS® POLYASPARTIC ESD** top coat. This two-coat system protects against heavy traffic, chemical spills, moisture intrusion, and microbial growth, all while maintaining its ESD properties. Based on the underlying substrate treatment, it can be installed as a high-build system with no effect on resistance readings.



kretus.com/esd



PART B, WB EPOXY SEE PART A FOR MIX RATIO

	32 OZ	1 GALLON
WB Epoxy Part B	FG-WBEB-32FOZ	FG-WBEB-01G

PART A, WB CONDUCTIVE PRIMER MIX RATIO = 4A:1B (Example: 1 gal A:32 oz B)

	1 GALLON	4 GALLON
WB Conductive Primer Part A - Black*	FG-WBECDP-01G	FG-WBECDP-04G

COLORS:

BLACK	LIGHT GRAY	MEDIUM GRAY	DARK GRAY	MOCHA	TAN	BEIGE
SAFETY BLUE	SAFETY RED	SAFETY YELLOW	HANDICAP BLUE	TILE RED	ENCHANTED GREEN	

TOP COAT

MIX RATIO = 1 gal A:1 gal B:1 ESD Additive:16 oz Anti-Slip Bead 50/100

	32 OZ	1 GALLON	5 GALLON
Polyaspartic 92 Part A EZ	-	FG-PA92AEZ-01G	FG-PA92AEZ-05G
Polyaspartic 92 Part A FC	-	FG-PA92AFC-01G	FG-PA92AFC-05G
Polyaspartic 92 Part B	-	FG-PA92B-01G	FG-PA92B-05G
ESD Additive	-	FG-ESDADD-02	-
Anti-Slip Bead 50/100	FG-ASLB105-32SOZ	-	-
Poly Colorant	See page 23 for Poly Colorant colors		

* Do not use WB Epoxy Part A



NANOTUBE ESD

Get the benefits of a traditional ESD system—and more—in a single top coat! **KRETUS® SELECT ESD** kits incorporate carbon nanotube technology to enhance wear resistance and strengthen ESD control. Select the Epoxy for ease of installation or choose Poly for even better durability, wear resistance, and color stability.

Only available in **Select ESD Kits**.



COLORS:



EPOXY CONDUCTIVE

COLOR	1.5 GALLON KIT
Stone	KIT-10402Ezs
Slate	KIT-10403Ezs
Greige	KIT-10404Ezs
Baja	KIT-10405Ezs
Ocean	KIT-10406Ezs
Maroon	KIT-10407Ezs

EPOXY DISSIPATIVE

COLOR	1.5 GALLON KIT
Stone	KIT-10302Ezs
Slate	KIT-10303Ezs
Greige	KIT-10304Ezs
Baja	KIT-10305Ezs
Ocean	KIT-10306Ezs
Maroon	KIT-10307Ezs

POLY CONDUCTIVE

COLOR	1.5 GALLON KIT
Stone	KIT-20402Ezs
Slate	KIT-20403Ezs
Greige	KIT-20404Ezs
Baja	KIT-20405Ezs
Ocean	KIT-20406Ezs
Maroon	KIT-20407Ezs

POLY DISSIPATIVE

COLOR	1.5 GALLON KIT
Stone	KIT-20302Ezs
Slate	KIT-20303Ezs
Greige	KIT-20304Ezs
Baja	KIT-20305Ezs
Ocean	KIT-20306Ezs
Maroon	KIT-20307Ezs

WB EPOXY

KRETUS® WB Epoxy is an economical, user-friendly, two-component, water-borne system. This product is an excellent primer for use under other thin mil coatings and performs well as an interior sealer.

Combine any Part A and Part B.

See **Product Guide & General Overviews** for application techniques



KITS: STANDARD (1.25 GAL) • LARGE (5 GAL)
BULK ITEMS: BUCKET (5 GAL) • DRUM (50 GAL)

PART A

MIX RATIO = 4A:1B (Example: 1 gal A:32 oz B)

	1 GALLON	4 GALLON	50 GALLON
Black	FG-WBEACLR-01G	FG-WBEACLR-04G	FG-WBEACLR-50G
Clear	FG-WBEABLK-01G	FG-WBEABLK-04G	FG-WBEABLK-50G
Light Gray	FG-WBEALGY-01G	FG-WBEALGY-04G	FG-WBEALGY-50G
Medium Gray	FG-WBEAMGY-01G	FG-WBEAMGY-04G	FG-WBEAMGY-50G
Tan	FG-WBEATAN-01G	FG-WBEATAN-04G	FG-WBEATAN-50G
White	FG-WBEAWHT-01G	FG-WBEAWHT-04G	FG-WBEAWHT-50G

PART B

SEE PART A FOR MIX RATIO

	32 OZ	1 GALLON	50 GALLON
	FG-WBEB-32FOZ	FG-WBEB-01G	FG-WBEB-50G

COLORS:



BLACK

WHITE

LIGHT GRAY

MEDIUM GRAY

TAN

METALLIC

For a beautiful, 3-D reflective coat, combine **KRETUS® METALLIC** pigments with Top Shelf® Epoxy, Polyaspartic, or Polyurethane HS.



METALLIC PIGMENT FOR TSE, PA, AND PUHS MIX RATIO = 4 oz per kit 8 oz per kit (light colors marked with *)



	2 OZ	8 OZ	32 OZ
Antique Silver	FG-MPPANS-02SOZ	FG-MPPANS-08SOZ	FG-MPPANS-32SOZ
Black	FG-MPPBLA-02SOZ	FG-MPPBLA-08SOZ	FG-MPPBLA-32SOZ
Cabernet	FG-MPPCAB-02SOZ	FG-MPPCAB-08SOZ	FG-MPPCAB-32SOZ
California Gold	FG-MPPCAG-02SOZ	FG-MPPCAG-08SOZ	FG-MPPCAG-32SOZ
Carbon	FG-MPPCAR-02SOZ	FG-MPPCAR-08SOZ	FG-MPPCAR-32SOZ
Cherrywood	FG-MPPCHW-02SOZ	FG-MPPCHW-08SOZ	FG-MPPCHW-32SOZ
Dark Blue	FG-MPPDBL-02SOZ	FG-MPPDBL-08SOZ	FG-MPPDBL-32SOZ
Dark Gray	FG-MPPGRY-02SOZ	FG-MPPGRY-08SOZ	FG-MPPGRY-32SOZ
Forest Green	FG-MPPFGRN-02SOZ	FG-MPPFGRN-08SOZ	FG-MPPFGRN-32SOZ
Gold Glitter*	FG-MPPGGL-02SOZ	FG-MPPGGL-08SOZ	FG-MPPGGL-32SOZ
Ivory*	FG-MPPIVO-02SOZ	FG-MPPIVO-08SOZ	FG-MPPIVO-32SOZ
Jade Green*	FG-MPPJGN-02SOZ	FG-MPPJGN-08SOZ	FG-MPPJGN-32SOZ
New Copper	FG-MPPNCO-02SOZ	FG-MPPNCO-08SOZ	FG-MPPNCO-32SOZ
Olive	FG-MPPOLV-02SOZ	FG-MPPOLV-08SOZ	FG-MPPOLV-32SOZ
Sedona	FG-MPPSED-02SOZ	FG-MPPSED-08SOZ	FG-MPPSED-32SOZ
Silver Glitter*	FG-MPPSGL-02SOZ	FG-MPPSGL-08SOZ	FG-MPPSGL-32SOZ
Sky Blue	FG-MPPSKY-02SOZ	FG-MPPSKY-08SOZ	FG-MPPSKY-32SOZ
Sterling	FG-MPPSTL-02SOZ	FG-MPPSTL-08SOZ	FG-MPPSTL-32SOZ
Sunset Gold	FG-MPPSGO-02SOZ	FG-MPPSGO-08SOZ	FG-MPPSGO-32SOZ
Violet	FG-MPPVIO-02SOZ	FG-MPPVIO-08SOZ	FG-MPPVIO-32SOZ

ALIPHATIC MC

This single-component aliphatic urethane works best as a top coat or concrete sealer.

To pigment, add 8 oz of Poly Colorant to every gallon of Aliphatic MC.



ALIPHATIC MC SINGLE-COMPONENT PRODUCT

	1 GALLON	5 GALLON
Gloss	FG-PUAALPG-01G	FG-PUAALPG-05G
Low Gloss	FG-PUAALPLG-01G	FG-PUAALPLG-05G
Poly Colorant	See page 23 for Poly Colorant colors	



kretus.com/
products

HYDROTHANE

Use this water-based polyurethane to protect Metallic coats, waterproof decking, decorative concrete overlays, and grind-and-seal installations.



KITS: STANDARD (1.5 gal)
BULK ITEMS: BUCKET (5 gal)

HYDROTHANE GLOSS - 2-COMPONENT PRODUCT

	STANDARD KIT (1.5 GAL)	BULK KIT (15 GAL)
Part B - Gloss	FG-WBUBTG-HG	FG-WBUBTG-05G
Part A - Gloss	FG-WBUATG-01G	FG-WBUATG-05G*

HYDROTHANE LOW GLOSS - 2-COMPONENT PRODUCT

	STANDARD KIT (1.5 GAL)	BULK KIT (15 GAL)
Part B - Low Gloss	FG-WBUBTLG-HG	FG-WBUBTLG-05G
Part A - Low Gloss	FG-WBUATLG-01G	FG-WBUATLG-05G*

* Will need 2, 5 gallon buckets of Part A for bulk kits

ECOMAGNETIC™

Experience the future of tile installation with **KRETUS® ECOMAGNETIC™**—a revolutionary system that eliminates the need for adhesives. The innovative system harnesses the power of magnets, making it incredibly easy to use on nearly any surface. Featuring reusable magnetic tabs that maintain their stickiness, you'll never have to worry about damaging your tiles or leaving behind any residue.



ECOMAGNETIC COATING

STANDARD MIX RATIO = 1/2 gal A:1/2 gal B:18 lbs C

	STANDARD KIT COMPONENTS
PART A	FG-EMA-HG
PART B	FG-EMB-HG
PART C	FG-EMC-18#
	100 TABS/ROLL
TABS	FG-EMTAB-EA
	STANDARD KIT
KIT (COATING ONLY)	KIT-EMS

MATTING ADDITIVE

Can be added to any KRETUS Top Shelf® Epoxy, Polyaspartic, Polyurethane HS, WB Epoxy, and Aliphatic MC coatings to reduce gloss finish.



kretus.com/
products

MATTING ADDITIVE

MIX RATIO = 1-2 LBS:1 GALLON, MAKE SAMPLES

	1 LB	10 LBS
Matting Additive	FG-MADD-01LB	FG-MADD-10LB

CLEANING PRODUCTS

See **Maintenance & Cleaning Guide** for more information on **Solvent**, **Coating** and **Power** Cleaners.



COATING CLEANER - PH-NEUTRAL DAILY COATING CLEANER

	32 OZ	1 GALLON	5 GALLON	50 GALLON
Coating Cleaner	FG-CCLEAN-32FOZ	FG-CCLEAN-01G	FG-CCLEAN-05G	FG-CCLEAN-50G

POWER CLEANER - PH-NEUTRAL SPOT-CHECK COATING CLEANER

	32 OZ	1 GALLON	5 GALLON	50 GALLON
Power Cleaner	FG-POCLN-32FOZ	FG-POCLN-01G	FG-POCLN-05G	FG-POCLN-50G

SC (SOLVENT CLEANER)

	32 OZ	1 GALLON	5 GALLON	50 GALLON
Solvent Cleaner	FG-SLVCLN-32FOZ	FG-SLVCLN-01G	FG-SLVCLN-05G	FG-SLVCLN-50G

ANTI- GRAFFITI

Tired of graffiti ruining your public spaces? Try this single-component coating for long-lasting protection against and easy removal of graffiti. It's ideal for graffiti-prone areas like transit stations, bridges, schools, and public facilities.



ANTI-GRAFFITI SEALER SINGLE-COMPONENT PRODUCT

	1 GALLON	5 GALLON	50 GALLON
Anti -Graffiti Sealer	FG-AGS-01G	FG-AGS-05G	FG-AGS-50G

ANTI-SLIP

Use **KRETUS® ANTI-SLIP** and other surface texture granules to increase abrasion and skid resistance.

SIZES: 2.5 LBS • 32 OZ • 10 LBS



ANTI-SLIP TEX

MIX RATIO = 2.75 lbs per 1 standard kit

SIZE	TEX 50
2.5 lbs	FG-ASLTX50-EA

ANTI-SLIP BEAD

MIX RATIO = 8-16 oz per 1 gal

SIZE	BEAD 100	BEAD 50/100	BEAD 50	BEAD 20/30
32 oz	FG-ASLBE100-32SOZ	FG-ASLB105-32SOZ	FG-ASLBE50-32SOZ	FG-ASLBE23-32SOZ

ANTI-SLIP AO (ALUMINUM OXIDE)

PRODUCT FOR BROADCAST ONLY

SIZE	AO 36	AO 24
10 lbs	FG-ASLOX36-10LB	FG-ASLOX24-10LB

ANTI-SLIP AO (ALUMINUM OXIDE)

MIX RATIO = 1-2 lbs to 1 standard TSE or PA kit


SIZE	AO 220	AO 120	AO 80	AO 60
10 lbs	FG-ASLOX220-10LB	FG-ASLOX120-10LB	FG-ASLOX80-10LB	FG-ASLOX60-10LB




ANTI-SLIP AO 220



ANTI-SLIP AO 120




ANTI-SLIP AO 80




ANTI-SLIP AO 60




ANTI-SLIP AO 36




ANTI-SLIP AO 24




ANTI-SLIP BEAD 100




ANTI-SLIP BEAD 50/100



ANTI-SLIP BEAD 50




ANTI-SLIP BEAD 20/30




ANTI-SLIP TEX 50



COLOR QUARTZ 40-S*



SAND 60*



SAND 30*



SAND 20*

* Contact your local KRETUS® distributor to order Sand or Color Quartz



COLORANTS

TOP SHELF® EPOXY COLORANT

	16 OZ	1 GALLON
Beige	FG-TSECLBEI-16FOZ	FG-TSECLBEI-01G
Black	FG-TSECLBLK-16FOZ	FG-TSECLBLK-01G
Dark Gray	FG-TSECLDGY-16FOZ	FG-TSECLDGY-01G
Enchanted Green	FG-TSECLEGN-16FOZ	FG-TSECLEGN-01G
Handicap Blue	FG-TSECLHAB-16FOZ	FG-TSECLHAB-01G
Latte	FG-TSECLLAT-16FOZ	FG-TSECLLAT-01G
Light Gray	FG-TSECLLGY-16FOZ	FG-TSECLLGY-01G
Medium Gray	FG-TSECLMGY-16FOZ	FG-TSECLMGY-01G
Mocha	FG-TSECLMOC-16FOZ	FG-TSECLMOC-01G
Safety Blue	FG-TSECLSAB-16FOZ	FG-TSECLSAB-01G
Safety Red	FG-TSECLSAR-16FOZ	FG-TSECLSAR-01G
Safety Yellow	FG-TSECLSAY-16FOZ	FG-TSECLSAY-01G
Shadow Gray	FG-TSECLSHG-16FOZ	FG-TSECLSHG-01G
Tan	FG-TSECLTAN-16FOZ	FG-TSECLTAN-01G
Tile Red	FG-TSECLTRD-16FOZ	FG-TSECLTRD-01G
White	FG-TSECLWHT-16FOZ	FG-TSECLWHT-01G

UPC COLORANT

	4 OZ	1 GALLON
Black	FG-UPCCLBLK-04FOZ	FG-UPCCLBLK-01G
Blue	FG-UPCCLBLU-04FOZ	FG-UPCCLBLU-01G
Bone	FG-UPCCLBON-04FOZ	FG-UPCCLBON-01G
Brown	FG-UPCCLBRN-04FOZ	FG-UPCCLBRN-01G
Clay	FG-UPCCLCLY-04FOZ	FG-UPCCLCLY-01G
Gray	FG-UPCCLGRY-04FOZ	FG-UPCCLGRY-01G
Green	FG-UPCCLGRN-04FOZ	FG-UPCCLGRN-01G
Mustard	FG-UPCCLMUS-04FOZ	FG-UPCCLMUS-01G
Red	FG-UPCCLRED-04FOZ	FG-UPCCLRED-01G

POLY COLORANT

	16 OZ	1 GALLON
Beige	FG-PCLBEI-16FOZ	FG-PCLBEI-01G
Black	FG-PCLBLK-16FOZ	FG-PCLBLK-01G
Dark Gray	FG-PCLDGY-16FOZ	FG-PCLDGY-01G
Enchanted Green	FG-PCLEGR-16FOZ	FG-PCLEGR-01G
Handicap Blue	FG-PCLHBL-16FOZ	FG-PCLHBL-01G
Latte	FG-PCLLAT-16FOZ	FG-PCLLAT-01G
Light Gray	FG-PCLLGY-16FOZ	FG-PCLLGY-01G
Medium Gray	FG-PCLMGY-16FOZ	FG-PCLMGY-01G
Mocha	FG-PCLMOC-16FOZ	FG-PCLMOC-01G
Safety Blue	FG-PCLSAB-16FOZ	FG-PCLSAB-01G
Safety Red	FG-PCLSAR-16FOZ	FG-PCLSAR-01G
Safety Yellow	FG-PCLSAY-16FOZ	FG-PCLSAY-01G
Shadow Gray	FG-PCLSHG-16FOZ	FG-PCLSHG-01G
Tan	FG-PCLTAN-16FOZ	FG-PCLTAN-01G
Tile Red	FG-PCLTRD-16FOZ	FG-PCLTRD-01G
White	FG-PCLWHT-16FOZ	FG-PCLWHT-01G



ACRYLIC WB COLORANT

TRENDING COLORS	16 OZ
Adobe	FG-WBCLADB-16FOZ
Arizona Tan	FG-WBCLAZT-16FOZ
Charcoal	FG-WBCLCHA-16FOZ
Executive Gray	FG-WBCLEXE-16FOZ
Mud Pie	FG-WBCLMUD-16FOZ
Sahara	FG-WBCLSAH-16FOZ
Sand	FG-WBCLSAN-16FOZ
Storm	FG-WBCLSTO-16FOZ
White	FG-WBCLWHT-16FOZ
ADDITIONAL COLORS	16 OZ
Beachwood	FG-WBCLBEA-16FOZ
Cherrywood	FG-WBCLCHE-16FOZ
Clay	FG-WBCLCLA-16FOZ
Coral	FG-WBCLCOR-16FOZ
Driftwood	FG-WBCLDRI-16FOZ
Lagoon	FG-WBCLLAG-16FOZ
Maple	FG-WBCLMAP-16FOZ
Moss	FG-WBCLMOS-16FOZ
Sea Blue	FG-WBCLSBL-16FOZ
Soldier	FG-WBCLSOL-16FOZ
Sphinx	FG-WBCLSPX-16FOZ
Steel	FG-WBCLSTE-16FOZ

HARD SAMPLES

Deliver customer satisfaction with hard samples and on-site testing. Hard samples allow your clients to see and feel their options. On-site testing—from prime to top coat—ensures your client's expectations for beautiful, safe floors are met.

4" x 4" RING SAMPLES COMPARE COLORS, TEXTURES, AND FINISHES

PRODUCT	ITEM NO.
Acrylic Sealer WB Trending Colors	FG-SMPLASEAL-EA
Anti-Slip	FG-SMPLASLIP-EA
Color Chip Over Top Shelf® Epoxy	FG-SMPLCCT-EA
Color Chip Over Urethane Polymer Concrete	FG-SMPLCCUPC-EA
Color Quartz Over Top Shelf® Epoxy	FG-SMPLCQTB-EA
Color Quartz Over Urethane Polymer Concrete	FG-SMPLCQUPC-EA
Hydrothane	FG-SMHYDROC-EA
Metallic	FG-SMPLMETT-EA
Metallic Top Coat	FG-SMSMTC-EA
NanoTube ESD Epoxy & Poly Dissipative	FG-SMNTESDD-EA
NanoTube ESD Epoxy & Poly Conductive	FG-SMNTESDC-EA
Top Shelf® Epoxy Hardener Options	FG-SMPLHARDO-EA
Traditional ESD	FG-SMPLESD-EA
TSE, Poly, WB Epoxy, Aliphatic MC Available Colors	FG-SMPLTPPW-EA
Urethane Polymer Concrete	FG-SMPLUPC-EA

12" x 12" RING SAMPLES COMPARE COLORS, TEXTURES, AND FINISHES

PRODUCT	ITEM NO.
Color Chip	FG-SMPLCCF12-EA
TSE, Poly, WB Epoxy, Aliphatic MC Available Colors	FG-SMPLSLC12-EA

STEP SAMPLES SEE HOW EACH SYSTEM IS BUILT, FROM THE FIRST TO THE FINAL COAT

PRODUCT	ITEM NO.
Color Chip	FG-SMSCLC-EA
Color Quartz	FG-SMSCLQ-EA
Color Splash	FG-SMSCLS-EA
Floor 2 Cove Color Chip	FG-SMSCOVEC-EA
Floor 2 Cove CQ	FG-SMSCOVEQ-EA
Floor 2 Cove IND	FG-SMSCOVES-EA
Industrial Sand SL	FG-SMSIDSSL-EA
Industrial Sand RC	FG-SMSIDSRC-EA
Waterproof Decking 2.1	FG-SMSWPD-EA

2" x 6" COVE SAMPLES COMPARE WALL COVE FINISHES

PRODUCT	ITEM NO.
6" Epoxy Cove, Color	FG-SMPLECV-C-EA
6" Epoxy Cove, Color Chip	FG-SMPLECVCC-EA
6" Epoxy Cove, Color Quartz	FG-SMEPCCC-EA

4" x 4" RING SAMPLES



ACRYLIC SEALER WB



ANTI-SLIP



COLOR CHIP OVER TSE



COLOR CHIP OVER UPC



COLOR QUARTZ OVER TSE



COLOR QUARTZ OVER UPC



COMING SOON




METALLIC



COMING SOON



ESD NANOTUBE CONDUCTIVE



ESD NANOTUBE DISSIPATIVE



TSE HARDENER OPTIONS



TRADITIONAL ESD




TSE, POLY, WB EPOXY, ALIPHATIC MC



URETHANE POLYMER CONCRETE

12" x 12" RING SAMPLES



COLOR CHIP



TSE, POLY, WB EPOXY, ALIPHATIC MC

2" x 6" COVE SAMPLES



EPOXY COVE, COLOR



EPOXY COVE, COLOR CHIP



EPOXY COVE, COLOR QUARTZ

STEP SAMPLES



COLOR CHIP



COLOR QUARTZ




COLOR SPLASH



FLOOR 2 COVE COLOR CHIP



FLOOR 2 COVE CQ




FLOOR 2 COVE IND



INDUSTRIAL SAND SL



INDUSTRIAL SAND RC



WATERPROOF DECKING 2.1

SELECT KITS

Economical Solutions For Busy Contractors.

Easy product selection • Reduced picking & mixing errors • Competitively priced • Fewer SKUs



EPOXY
100%-solids • commercial grade



OMG BLOCKER
Oil, Moisture, and Gas blocker
fast (FC) or slow (EZ) cure



EPOXY PATCH
100%-solids
fast (FC) or slow (EZ) cure



EPOXY COVE
100%-solids • commercial grade
wall cove



POLY
72%, 85% or 92%-solids Polyaspartic
fast (FC) or slow (EZ) cure



POLY PATCH
85%-solids
fast (FC) or slow (EZ) cure



ESD EPOXY
nanotube technology
Dissipative or Conductive



ESD POLY
nanotube technology
Dissipative or Conductive

EPOXY

3 GALLON KIT	
Beige	KIT-10101TH03
Clear	KIT-10201TH03
Light Gray	KIT-10401TH03
Beige EZ	KIT-10101EZ03
Clear EZ	KIT-10201EZ03
Light Gray EZ	KIT-10401EZ03

POLY

2 GALLON KIT	
72 - EZ - Clear	KIT-272EZ0102
72 - FC - Clear	KIT-272FC0102
85 - EZ - Clear	KIT-285EZ0102
85 - FC - Clear	KIT-285FC0102
92 - EZ - Clear	KIT-292EZ0102
92 - FC - Clear	KIT-292FC0102

ESD POLY CONDUCTIVE

1.5 GALLON KIT	
Stone	KIT-20402Ezs
Slate	KIT-20403Ezs
Greige	KIT-20404Ezs
Baja	KIT-20405Ezs
Ocean	KIT-20406Ezs
Maroon	KIT-20407Ezs

EPOXY PATCH

2 GALLON KIT	
EZ	KIT-1EZP02
FC	KIT-1FCP02

POLY PATCH

2 GALLON KIT	
EZ	KIT-299Ezs
FC	KIT-299FCS

ESD EPOXY DISSIPATIVE

1.5 GALLON KIT	
Stone	KIT-10302Ezs
Slate	KIT-10303Ezs
Greige	KIT-10304Ezs
Baja	KIT-10305Ezs
Ocean	KIT-10306Ezs
Maroon	KIT-10307Ezs

EPOXY COVE

1.5 GALLON KIT	
TH - Clear	KIT-10103TH01

ESD EPOXY CONDUCTIVE

1.5 GALLON KIT	
Stone	KIT-10402Ezs
Slate	KIT-10403Ezs
Greige	KIT-10404Ezs
Baja	KIT-10405Ezs
Ocean	KIT-10406Ezs
Maroon	KIT-10407Ezs

OMG BLOCKER

3 GALLON KIT	
EZ	KIT-10501MEZ03
FC	KIT-10501MFC03

ESD POLY DISSIPATIVE

1.5 GALLON KIT	
Stone	KIT-20302Ezs
Slate	KIT-20303Ezs
Greige	KIT-20304Ezs
Baja	KIT-20305Ezs
Ocean	KIT-20306Ezs
Maroon	KIT-20307Ezs

GENERAL QUESTIONS

714.694.2061 | info@kretus.com

TECHNICAL QUESTIONS

Michael Mulnix

Sr. Technical Product Manager, Western Territories, USA
916.757.4075 | michael@kretus.com

Samet Dy

Sr. Technical Product Manager, Eastern Territories, USA
714.922.5865 | samet@kretus.com

Dennis Beshear

Sr. Technical Product Manager, South Central Territories, USA
817.559.7591 | dennis@kretus.com

Jaime Monarres

Sr. Product Manager, Se habla Español
424.348.5127 | jaime@kretus.com

Ian Taubler

Product Manager
559.709.8480 | ian@kretus.com

Andrew Voss

Product Manager
920.254.2890 | andrew@kretus.com



kretus.com